

STANDARD WALL PLATES

GENERAL INFORMATION

MATERIALS

Commercial Grade Stainless Steel - Type 430

0.031" nominal thickness. Contains 16% chrome. Corrosion resistant. Horizontal brush finish (97 series).
For use in industrial, institutional, and commercial environments.

Solid Brass

0.040" nominal thickness. Contains 70% copper, 30% zinc alloy. Lacquered to prevent corrosion. Polished finish (PB series).

Painted Steel

0.031" nominal thickness. Painted white (SW series) or Painted Ivory (SI series).

COMPLIANCE

All Hubbell wall plates are CSA certified, unless otherwise stated, and meet the requirements of the Canadian Electrical Code. File numbers are available upon request.

PACKAGING

Hubbell wallplates are individually packed with chrome plated mounting screws, except solid brass wallplates which include brass plated mounting screws.


Wallplates can be bulk packed, with or without mounting screws, upon request. Stainless Steel and Solid Brass wallplates are supplied with a plastic coating which protects the finish and should be removed once the plate is installed.

The packaging label includes the quantity, catalogue number, material type, bar code information, and a drawing of the product.

SUFFIX DESIGNATIONS

- HV** 347 Volt wallplate, for use with 1204 style device boxes (unless otherwise stated).
- HVR** 347 Volt wallplate, for use with HV versions of MBD and MBS style device boxes.
- KS** King-size wallplate, 22% larger than standard wallplates.
- KSHV** King-size 347 Volt wallplate, for use with 1204 style device boxes (unless otherwise stated).
- KSHVR** King-size 347 Volt wallplate for use with HV versions of MBD and MBS style device boxes.


STANDARD WALL PLATES



WALLPLATES

| STANDARD WALLPLATES | | | | |
|---|--------------------------|---------------------|---------------------|----------------------|
| Description | Stainless Steel Type 430 | Painted Steel White | Painted Steel Ivory | Solid Brass Polished |
| 1 Gang, toggle switch | 97071 | SW071 | SI071 | PB071 |
| 2 Gang, toggle switch | 97072 | SW072 | SI072 | PB072 |
| 3 Gang, toggle switch | 97073 | | | PB073 |
| 4 Gang, toggle switch | 97074 | | | PB074 |
| 5 Gang, toggle switch | 97075 | | | PB075 |
| 6 Gang, toggle switch | 97076 | | | PB076 |
| 7 Gang, toggle switch | 97077 | | | PB077 |
| 8 Gang, toggle switch | 97078 | | | PB078 |
| 9 Gang, toggle switch | 97079 | | | PB079 |
| 10 Gang, toggle switch | 97080 | | | PB080 |
| 1 Gang, Decora or GFCI | 97401 | SW401 | SI401 | PB401 |
| 2 Gang, Decora or GFCI | 97402 | SW402 | SI402 | PB402 |
| 3 Gang, Decora or GFCI | 97403 | | | PB403 |
| 4 Gang, Decora or GFCI | 97404 | | | PB404 |
| 5 Gang, Decora or GFCI | 97405 | | | PB405 |
| 6 Gang, Decora or GFCI | 97406 | | | PB406 |
| 2 Gang, Decora or GFCI, centered opening | 97001 | SW001 | SI001 | PB001 |
| GFCI conversion kit, 2 gang with 52-C-0 cover, centered opening | 97002 | SW002 | SI002 | PB002 |

STANDARD WALL PLATES




| STANDARD WALLPLATES | | | | |
|---|--------------------------|---------------------|---------------------|----------------------|
| Description | Stainless Steel Type 430 | Painted Steel White | Painted Steel Ivory | Solid Brass Polished |
| 1 Gang, Duplex Receptacle | 97101 | SW101 | SI101 | PB101 |
| 2 Gang, Duplex Receptacle | 97102 | SW102 | SI102 | PB102 |
| 3 Gang, Duplex Receptacle | 97103 | | | PB103 |
| 4 Gang, Duplex Receptacle | 97104 | | | PB104 |
| 5 Gang, Duplex Receptacle | 97105 | | | |
| 1 Gang, blank, with mounting bridge device mount 2.375" | 97121 | SW121 | SI121 | PB121 |
| 2 Gang, blank, with mounting bridge device mount 2.375" | 97122 | SW122 | SI122 | PB122 |
| 3 Gang, blank, with mounting bridge device mount 2.375" | 97123 | | | PB123 |
| 4 Gang, blank, with mounting bridge device mount 2.375" | 97124 | | | PB124 |
| 5 Gang, blank, with mounting bridge device mount 2.375" | 97125 | | | |
| 1 Gang, blank box mount 3.281" | 97151 | SW151 | SI151 | PB151 |
| 2 Gang, blank box mount 3.281" | 97152 | SW152 | SI152 | PB152 |
| 3 Gang, blank box mount 3.281" | 97153 | | | PB153 |
| 4 Gang, blank box mount 3.281" | 97154 | | | PB154 |
| 5 Gang, blank box mount 3.281" | 97155 | | | |


WALLPLATES

STANDARD WALL PLATES

| STANDARD WALLPLATES | | | | |
|--|--------------------------|---------------------|---------------------|----------------------|
| Description | Stainless Steel Type 430 | Painted Steel White | Painted Steel Ivory | Solid Brass Polished |
| 1 gang, 1 single receptacle 1.40" opening | 97091 | SW091 | SI091 | PB091 |
| 2 gang, 2 single receptacle 1.40" opening | 97092 | SW092 | SI092 | PB092 |
| 1 gang, 1 single receptacle 1.625" opening | 97111 | SW111 | SI111 | PB111 |
| 1 gang, 1 single receptacle 1.750" opening | 97211 | SW211 | SI211 | PB211 |
| 1 gang, 1 single receptacle 2.156" opening | 97411 | SW411 | SI411 | PB411 |
| 2 gang, 1 single receptacle 2.156" opening | 97421 | SW421 | SI421 | PB421 |
| 2 gang, 1 single receptacle 2.625" opening | 97521 | SW521 | SI521 | PB521 |
| 1 gang, 1/2" bushed slot with 1 mounting bridge | 97731 | SW731 | SI731 | PB731 |
| 3 gang, 1/2" bushed slot with 2 mounting bridge | 97730 | | | PB730 |
| 1 gang, 3/8" telephone opening with mounting bridge device mount 2.375" | 97181 | SW181 | SI181 | PB181 |
| 2 gang, 3/8" telephone opening with mounting bridge device mount 2.375" | 97182 | SW182 | SI182 | PB182 |
| 1 gang, 5/8" telephone opening with mounting bridge device mount 2.375" | 97201 | SW201 | SI201 | PB201 |
| 2 gang, 5/8" telephone opening with mounting bridge device mount 2.375" | 97202 | SW202 | SI202 | PB202 |
| 1 gang, 1-1/8" square telephone opening with mounting bridge device mount 2.375" | 97191 | SW191 | SI191 | PB191 |




STANDARD WALL PLATES



| STANDARD WALLPLATES | | | | |
|---|--------------------------|---------------------|---------------------|----------------------|
| Description | Stainless Steel Type 430 | Painted Steel White | Painted Steel Ivory | Solid Brass Polished |
| 2 gang, 1 toggle switch, 1 duplex receptacle | 97532 | SW532 | SI532 | PB532 |
| 3 gang, 2 toggle switch, 1 duplex receptacle | 97543 | | | PB543 |
| 4 gang, 3 toggle switch, 1 duplex receptacle | 97553 | | | PB553 |
| 5 gang, 4 toggle switch, 1 duplex receptacle | 97563 | | | PB563 |
| 6 gang, 5 toggle switch, 1 duplex receptacle | 97573 | | | SU573 |
| 3 gang, 2 toggle switch, and 1 blank with mounting bridge device mount 2.375" | 97233 | | | |
| 2 gang, 1 toggle switch, and 1 blank with mounting bridge device mount 2.375" | 97502 | SW502 | SI502 | PB502 |
| 3 gang, 1 toggle switch, and 2 blank with mounting bridge device mount 2.375" | 97223 | | | |
| 3 gang, 2 duplex receptacle and 1 toggle switch | 97213 | | | |
| 2 gang, 1 duplex receptacle, 1 blank with mounting bridge device mount 2.375" | 97322 | | | |
| 3 gang, 1 duplex receptacle, 2 blank with mounting bridge device mount 2.375" | 97323 | | | |
| 2 gang, 1 duplex receptacle, 1 blank, box mount 3.281 | 97352 | | | |
| 3 gang, 1 duplex receptacle, 2 blank, box mount 3.281 | 97353 | | | |
| 2 gang, 1 toggle switch, 1 Decora | 97242 | | | |
| 2 gang, 1 duplex receptacle, 1 Decora | 97342 | | | |
| 2 gang, 1 toggle switch, and 1 single receptacle 1.40" opening | 97512 | SW512 | SI512 | PB512 |
| 2 gang, 1 duplex receptacle, and 1 single receptacle 1.40" opening | 97392 | | | |


WALLPLATES

347 VOLT WALLPLATES



| STANDARD WALLPLATES FOR USE WITH 1204 SERIES BOXES | |
|--|-----------------------------|
| Description | Stainless Steel Type 430 |
| 1 Gang, toggle switch 347V for type 1204, MBD, MBS boxes | 97071-HV |
| 2 Gang, toggle switch 347V for 1204 type box | 97072-HV |
| 3 Gang, toggle switch 347V for 1204 type box | 97073-HV |
| 4 Gang, toggle switch 347V for 1204 type box | 97074-HV |
| 5 Gang, toggle switch 347V for 1204 type box | 97075-HV |
| 6 Gang, toggle switch 347V for 1204 type box | 97076-HV |
| 7 Gang, toggle switch 347V for 1204 type box | 97077-HV |
| 1 gang, blank 347V marking HV box mount 3.531", for 1204, and also MBD, MBS type | 97151-HV |
| 2 gang, blank 347V marking HV box mount 3.531", for 1204 type box | 97152-HV |
| 3 gang, blank 347V marking HV box mount 3.531", for 1204 box type | 97153-HV |
| 4 gang, blank 347V marking HV box mount 3.531", for 1204 type box | 97154-HV |
| 1 gang, toggle switch 347V for 1204, MBD, MBS type box, king-size plate | 97071-KSHV |
| 1 gang, Decora 347V marking for 1204, MBD, MBS type box, king-size plate | 97401-KSHV |
| 2 gang, Decora 347V marking HV box mount 3.531" for 1204 type box, king-size plate | 97402-KSHV |
| 3 gang, Decora 347V marking HV box mount 3.531" for 1204 type box, king-size plate | 97403-KSHV |
| 4 gang, Decora 347V marking HV box mount 3.531" for 1204 type box, king-size plate | 97404-KSHV |


347 VOLT WALLPLATES



| 347 VOLT WALLPLATES FOR USE WITH HV VERSION OF MBD AND MBS SERIES BOXES. | |
|--|-----------------------------|
| Description | Stainless Steel Type 430 |
| 1 Gang, toggle switch 347V for type 1204, MBD, MBS boxes | 97071-HV |
| 2 Gang, toggle switch 347V for MBD, MBS type boxes | 97072-HVR |
| 3 Gang, toggle switch 347V for MBD, MBS type boxes | 97073-HVR |
| 4 Gang, toggle switch 347V for MBD, MBS type boxes | 97074-HVR |
| 5 Gang, toggle switch 347V for MBD, MBS type boxes | 97075-HVR |
| 6 Gang, toggle switch 347V for MBD, MBS type boxes | 97076-HVR |
| 7 Gang, toggle switch 347V for MBD, MBS type boxes | 97077-HVR |
| 1 gang, blank 347V marking HV box mount 3.531", for 1204, MBD, MBS type box | 97151-HV |
| 2 gang, blank 347V marking HV box mount 3.531", for MBD, MBS type box | 97152-HVR |
| 3 gang, blank 347V marking HV box mount 3.531", for MBD, MBS type box | 97153-HVR |
| 4 gang, blank 347V marking HV box mount 3.531", for MBD, MBS type box | 97154-HVR |
| 1 gang, toggle switch 347V for 1204, MBD, MBS type box, king-size plate | 97071-KSHV |
| 1 gang, Decora 347V marking for 1204, MBD, MBS type box, king-size plate | 97401-KSHV |
| 2 gang, Decora 347V marking HV box mount 3.531" for MBD, MBS type box, king-size plate | 97402-KSHVR |
| 3 gang, Decora 347V marking HV box mount 3.531" for MBD, MBS type box, king-size plate | 97403-KSHVR |
| 4 gang, Decora 347V marking HV box mount 3.531" for MBD, MBS type box, king-size plate | 97404-KSHVR |

WALLPLATES


KING SIZE WALLPLATES




WALLPLATES

| KING-SIZE WALLPLATES | |
|---|--------------------------|
| Description | Stainless Steel Type 430 |
| 1 gang, toggle switch king-size plate | 97071-KS |
| 2 gang, toggle switch king-size plate | 97072-KS |
| 3 gang, toggle switch king-size plate | 97073-KS |
| 4 gang, toggle switch king-size plate | 97074-KS |
| 1 Gang, Duplex Receptacle, king-size plate | 97101-KS |
| 2 Gang, Duplex Receptacle, king-size plate | 97102-KS |
| 3 Gang, Duplex Receptacle, king-size plate | 97103-KS |
| 4 Gang, Duplex Receptacle, king-size plate | 97104-KS |
| 1 Gang, Blank, king-size with mounting bridge device mount 2.375" | 97121-KS |
| 2 Gang, Blank, king-size with mounting bridge device mount 2.375" | 97122-KS |
| 3 Gang, Blank, king-size with mounting bridge device mount 2.375" | 97123-KS |
| 4 Gang, Blank, king-size with mounting bridge device mount 2.375" | 97124-KS |
| 1 Gang, blank, king-size box mount 3.281" | 97151-KS |
| 2 Gang, blank, king-size box mount 3.281" | 97152-KS |
| 3 Gang, blank, king-size box mount 3.281" | 97153-KS |
| 4 Gang, blank, king-size box mount 3.281" | 97154-KS |


WALLPLATE ACCESSORIES



| WALLPLATE ACCESSORIES - LOUVERED | | |
|--|--------------------------|----------------------|
| Description | Stainless Steel Type 430 | Solid Brass Polished |
| 1 gang, louvered, vertical device mount - 2.375" | 97631 | PB631 |
| 1 gang, louvered, horizontal device mount - 2.375" | 97630 | PB630 |



| WALLPLATE ACCESSORIES - FURNACE ON/OFF | |
|--|------------|
| Description | Red Finish |
| 1 gang, toggle with FURNACE and ON/OFF markings, device mount - 2.375" | 6851-RF |



| WALLPLATE ACCESSORIES - MOUNTING BRIDGE | |
|--|------------------|
| Description | Galvanized Steel |
| Mounting bridge converts device mount 2.375" to box mount 3.281" | 6300 |



| WALLPLATE ACCESSORIES - WALLPLATE SCREWS | | |
|---|---------------------|--------------------|
| Description | Plated Steel Chrome | Plated Steel Brass |
| Wallplate Screws 6/32 oval head milled slot 1/2" long | WPS-2 | WPS-3 |


WALLPLATES - CUSTOM INFORMATION

CUSTOM WALLPLATES

Hubbell Canada LP is the leading manufacturer of custom wallplates. Allow two-weeks lead time when placing an order.

ORDERING PROCEDURE



1. Call [1-877-394-7464](tel:1-877-394-7464) with a description or fax [905-839-2649](tel:905-839-2649) with a sketch of the desired wallplate. Please include material type, number of gangs, type of opening(s), and quantity required.
2. A technical drawing and a quotation will be forwarded to you.
3. To place your order, simply approve the drawing with your signature and date, then return it along with the quotation number and your purchase order.



4. A Catalogue number will be assigned once your order is received. The Catalogue number and a description of the opening will be listed on the invoice and the packing slip. A copy of the approved drawing will also be packed with the wallplate(s). The packaging label will include the quantity, catalogue number, material type, bar code information, and a drawing.

TECHNICAL DATA

STANDARD WALLPLATES







Dimensions are in inches.




TECHNICAL DATA




347 VOLT WALLPLATES



KINGSIZE WALLPLATES



MOUNTING HOLE SPACINGS



Dimensions are in inches.